



TERRA BALCANICA DRILLS 436 G/T AGEQ OVER 19.6 M AT ANTIMONY-SILVER DISCOVERY IN BOSNIA

News Release Video: [Terra Balcanica produced a technical webinar to explain the drill results](#)

Vancouver, British Columbia – January 20th, 2025 – Terra Balcanica Resources Corp. (“**Terra**” or the “**Company**”) (CSE:TERA; FRA:UB1) is pleased to announce strong assay results from a new discovery at the Brezani target within its principal Viogor-Zanik project in eastern Bosnia and Herzegovina.

Highlights

- Drillhole BREDD002 returned **436 g/t AgEq over 19.6 m** including **746 g/t AgEq and 1.42 wt.% Sb over 9.8 m**;
- Another mineralization style confirmed at Brezani in addition to the gold skarn with **0.61 g/t AuEq over 88.0 m from surface** (see Company’s news release dated 24th January 2023);
- Mineralization **trends towards surface** and daylights in a topographic depression with As-Bi-Sb-Te anomalism in soil samples with a **shallow “boiling-zone” drill target** (Figure 1);
- 4 shallow drillholes, aimed at expanding the footprint of the gold skarn have been completed within the > 800 m strike length gold in soil anomaly, with assay results pending.

Terra Balcanica CEO, Dr. Aleksandar Mišković, comments: *“We are very pleased with the polymetallic assays from an interval thrice as wide as that average reported at our other Viogor-Zanik target at Cumavici. Not only have we discovered a new type of mineralization that shallows toward northeast, and as such could be easily explored from top down, but we have also confirmed the significant presence of antimony at Brezani which continues to be a scarce commodity worldwide due to supply issues and trade restrictions imposed on certain countries. Now, the drill-confirmed surficial Au bearing skarn is confirmed to be underlain by the significant fault-hosted polymetallic mineralization which itself is underpinned by andesitic porphyry. It is encouraging to see this resulted from the very first drill hole leaving a lot of upside potential at Brezani as Terra releases additional assays from the four shallower intercepts drilled into the surficial skarn.”*

Hole ID	From (m)	To (m)	Length (m)	Ag (g/t)	Au (g/t)	Pb (%)	Sb (%)	Zn (%)	AgEq* (g/t)
BREDD002	482.1	501.7	19.6	84.6	0.18	0.20	0.79	0.48	436
<i>Including</i>	482.1	491.9	9.8	129.3	0.26	0.24	1.42	0.70	746

Table 1. Assay results of the new epithermal discovery in drillhole BREDD002. Interval lengths reported are drilled lengths, not true widths. Silver equivalents (“AgEq”) are based on assumed metal prices of US\$2,700/oz for gold (Au), US\$30/oz for silver (Ag), US\$1.40/lb for zinc (Zn), US\$17.50/lb for antimony (Sb) and US\$0.90/lb for lead (Pb). *Assumed metal recoveries of 90% Au, 93% Ag, 95% Sb, 94% Pb and Zn are based on published metallurgical tests on analogous intermediate sulphidation epithermal vein deposits. The Sb pricing derived from the Nov. 2024 average Rotterdam Warehouse 99.6% ingot price.

Drillcore Observations

The zone of mineralization from 482.1 m consists of banded veins and sulphide cemented breccias with characteristics of both low and intermediate sulphidation epithermal deposits. The upper vein contact is sharp with minimal alteration progressing into the hornfels, whereas the vein footwall is brecciated and hosts strong clay alteration. The margins of the vein host repeating bands of chalcedonic quartz-rhodochrosite-calcite and sulphides/sulphosalts stibnite-pyrite-arsenopyrite-sphalerite-galena-jamesonite (Figure 2). The centre of the structure is dominated by hydrothermal breccia with a sulphide-quartz-carbonate cement. Clasts are banded vein fragments.




Figure 1. Section through the Brezani target illustrating conductivity and the 95th percentile magnetic shell. Drillhole BREDD002 is shown, with a tabular conductivity feature extending to the ENE from the epithermal mineralized interval. Conductivity feature is interpreted as the continuation of the host structure with increased conductivity due to sulphide and clay within the broken rock mass. It passes through a break in the magnetics, which is further evidence of structural control ([click here to view image](#)).

Future Exploration Program

2023 drilling at the Brezani target uncovered a new style of mineralization at the contact between the skarn-hornfels package and underlying chlorite-sericite altered diorites. The epithermal mineralization encountered 482.1 m downhole is interpreted to shallow to the ENE creating a conductivity feature which passes through a magnetic low. A topographic low with an anomalous epithermal assemblage in soil and rock chip geochemistry is interpreted as the surface expression. Future drilling efforts will aim to intersect the epithermal mineralization shallow and explore for a “boiling zone” where precious metals may have been favourably precipitated.




Figure 2. Photographs of three HQ3 diameter core samples from the interval of epithermal mineralization labelled with AgEq values for assay results of host sample. A) 482.1-482.4 m millimeter scale banded chalcedonic quartz-calcite-rhodochrosite-sulphide. B) 483.6-483.85 m calcite-rhodochrosite breccia cemented by chalcedonic quartz-sulphide crosscut by a later calcite-chalcedonic quartz-sulphide vein set. C) 485.1-485.5 m banded quartz-calcite-sulphide vein grading into a stibnite-sphalerite sulphide breccia cement with clasts of wallrock hornfels and banded veins ([click here to view image](#)).

Hole ID	Easting	Northing	Elevation (m)	Dip	Azimuth	Depth (m)	Recovery (%)
BREDD002	368460.7	4880028.8	872.4	-70	336	674	98.4

Table 1. Collar locations for reported drillhole. Coordinates and elevation were taken by local consultant surveyors using a differential GPS unit. (WGS84/UTM Zone 34N).

QA/QC

Half core (HQ3) samples were delivered to ALS Bor, Serbia for sample preparation and subsequent wet chemical analysis at the Loughrea laboratory in Ireland, an ISO/IEC 17025:2017 certified test facility. Sample preparation PREP-31BY method involved crushing the core to 70% less than 2 mm, rotary split 1.0 kg and pulverizing the split to greater than 85% passing 75 microns. Silver and base metals were analysed by ICP MS after a four-acid digest (ME-MS61). Gold was assayed by 30g fire assay with ICP AES finish (Au-ICP21). Over limit samples for base metals were re-analysed by the four-acid digest ICP-AES analyses termed ME-OG62. Control samples comprising the certified reference material CDN-ME-1810 (Canadian Resource Labs Ltd.), quarter core field duplicates and blanks were inserted at a rate of 9 % and investigated as part of the Company's quality assurance and quality control program.

Qualified Person

Dr. Aleksandar Mišković, P.Geo, the Company's designated Qualified Person for this news release within the meaning of National Instrument 43-101 Standards of Disclosure of Mineral Projects ("NI 43-101"), has reviewed and validated that the information contained in this news release is factual and accurate.

About the Company

Terra Balcanica is a polymetallic and energy metals exploration company targeting large-scale mineral systems in the Balkans of southeastern Europe and norther Saskatchewan, Canada. The Company has 90% interest in the Viogor-Zanik Project in eastern Bosnia and Herzegovina. The Canadian assets comprise a 100% optioned portfolio of uranium-prospective licences at the outskirts of the world-renowned Athabasca basin: Charlot-Neely Lake, Fontaine Lake, Snowbird, and South Pendleton. The Company emphasizes responsible engagement with local communities and stakeholders. It is committed to proactively implementing Good International Industry Practice (GIIP) and sustainable health, safety, and environmental management.

ON BEHALF OF THE BOARD OF DIRECTORS

Terra Balcanica Resources Corp.

"Aleksandar Mišković"

Aleksandar Mišković
President and CEO



For the complete information on this news release, please contact Aleksandar Mišković at amiskovic@terrabresources.com, +1 (514) 796-7577, or visit www.terrabresources.com/en/news.

Cautionary Statement

This news release contains certain forward-looking information and forward-looking statements within the meaning of applicable securities legislation (collectively “forward-looking statements”). The use of any of the words “will”, “intends” and similar expressions are intended to identify forward-looking statements. These statements involve known and unknown risks, uncertainties and other factors that may cause actual results or events to differ materially from those anticipated in such forward-looking statements. Such forward-looking statements should not be unduly relied upon. Actual results achieved may vary from the information provided herein as a result of numerous known and unknown risks and uncertainties and other factors. The Company believes the expectations reflected in those forward-looking statements are reasonable, but no assurance can be given that these expectations will prove to be correct. The Company does not undertake to update these forward-looking statements, except as required by law.

Table 1. Chemical assays for the remainder of the drill hole BREDD002 from the 2023 Phase II campaign at the Brezani Target. Assays for the topmost 214 were released previously.

ALS Method				Au- ICP21	ME- MS61	ME- MS61	ME- MS61	ME- MS61	ME- MS61
Analyte	From (m)	To (m)	Interval (m)	Au (g/t)	Ag (g/t)	Cu (%)	Pb (%)	Zn (%)	Sb (%)
105652	215	217	2.0	0.08	0.12	0.00	0.01	0.01	0.00
105653	217	218.1	1.1	0.15	0.18	0.00	0.01	0.01	0.00
105654	218.1	219.3	1.2	0.05	0.12	0.01	0.01	0.01	0.00
105655	219.3	219.7	0.4	0.02	0.30	0.01	0.01	0.02	0.00
105656	219.7	220.05	0.4	0.02	0.56	0.00	0.04	0.04	0.00
105657	220.05	221.2	1.2	0.02	0.60	0.00	0.03	0.07	0.00
105658	221.2	221.65	0.5	0.01	0.22	0.01	0.01	0.01	0.00
105659	221.65	223.6	2.0	0.01	0.24	0.01	0.01	0.02	0.00
105660	221.65	223.6	2.0	0.01	0.23	0.01	0.01	0.02	0.00
105661	223.6	225	1.4	0.04	0.18	0.01	0.01	0.01	0.00
105662	225	227	2.0	0.06	0.14	0.01	0.01	0.01	0.00
105663	227	229	2.0	0.05	0.14	0.01	0.01	0.01	0.00
105664	229	231	2.0	0.04	0.32	0.01	0.01	0.01	0.00
105665	231	233	2.0	0.09	0.16	0.01	0.01	0.01	0.00
105666	233	235	2.0	0.02	0.19	0.01	0.01	0.01	0.00
105667	235	237	2.0	0.01	0.12	0.00	0.00	0.01	0.00
105668	237	239	2.0	0.02	0.08	0.00	0.00	0.01	0.00
105669	239	241	2.0	0.02	0.06	0.00	0.00	0.01	0.00
105670	241	243	2.0	0.02	0.10	0.00	0.00	0.01	0.00
105671	243	245	2.0	0.02	0.17	0.00	0.01	0.01	0.00
105672	245	246.4	1.4	0.02	0.20	0.00	0.01	0.01	0.00
105673	246.4	248.2	1.8	0.05	0.11	0.01	0.00	0.02	0.00
105674	248.2	250.25	2.1	0.06	0.14	0.01	0.00	0.04	0.00
105675				1.38	33.70	0.29	0.38	0.25	0.01
105676	250.25	251.5	1.3	0.03	0.25	0.01	0.01	0.01	0.00
105677	251.5	253	1.5	0.08	0.25	0.01	0.00	0.02	0.01
105678	253	255.05	2.1	0.08	1.88	0.00	0.01	0.02	0.01
105679	255.05	256.7	1.7	0.04	0.55	0.00	0.01	0.02	0.01
105680	256.7	258.3	1.6	0.05	0.14	0.00	0.01	0.02	0.00
105681	258.3	260	1.7	0.07	0.20	0.00	0.01	0.02	0.00
105682	260	262	2.0	0.01	0.31	0.00	0.01	0.01	0.00
105683	262	264	2.0	0.02	0.12	0.00	0.01	0.01	0.00

105684	264	266	2.0	0.03	0.15	0.00	0.00	0.02	0.00
105685	266	267.35	1.4	0.04	0.25	0.00	0.01	0.02	0.00
105686	267.35	268.6	1.3	0.03	0.16	0.00	0.01	0.02	0.00
105687	268.6	270.85	2.3	0.01	0.23	0.00	0.01	0.01	0.00
105688	270.85	272.45	1.6	0.02	0.16	0.00	0.01	0.03	0.00
105689	272.45	273.25	0.8	0.02	0.45	0.01	0.01	0.03	0.00
105690	272.45	273.25	0.8	0.01	0.39	0.01	0.01	0.03	0.00
105691	273.25	275.5	2.3	0.02	0.29	0.00	0.01	0.01	0.00
105692	275.5	278.4	2.9	0.03	0.14	0.00	0.00	0.01	0.00
105693	278.4	280.9	2.5	0.02	0.14	0.00	0.01	0.02	0.00
105694	280.9	283.15	2.3	0.03	0.14	0.00	0.01	0.03	0.00
105695	283.15	285	1.9	0.01	0.09	0.00	0.01	0.01	0.00
105696	285	288	3.0	0.02	0.17	0.00	0.01	0.01	0.00
105697	288	289.8	1.8	0.01	0.12	0.00	0.01	0.01	0.00
105698	289.8	291.7	1.9	0.03	0.17	0.00	0.01	0.02	0.01
105699	291.7	292.7	1.0	0.01	0.20	0.00	0.01	0.01	0.01
105700	292.7	293.3	0.6	0.02	0.15	0.01	0.01	0.01	0.00
105701	293.3	296.1	2.8	0.04	0.09	0.00	0.00	0.01	0.00
105702	296.1	298	1.9	0.14	0.13	0.00	0.00	0.01	0.00
105703	298	300	2.0	0.03	0.17	0.00	0.01	0.01	0.00
105704	300	302.25	2.3	0.02	0.09	0.01	0.01	0.01	0.00
105705				0.00	0.02	0.00	0.00	0.00	0.00
105706	302.25	304.5	2.3	0.02	0.10	0.00	0.00	0.01	0.00
105707	304.5	307	2.5	0.03	0.17	0.00	0.00	0.01	0.00
105708	307	309	2.0	0.03	0.19	0.00	0.00	0.01	0.00
105709	309	311.3	2.3	0.02	0.17	0.00	0.00	0.01	0.00
105710	311.3	311.9	0.6	0.03	0.52	0.00	0.00	0.00	0.01
105711	311.9	313.35	1.5	0.03	0.10	0.00	0.01	0.01	0.00
105712	313.35	314.05	0.7	0.02	0.10	0.00	0.00	0.03	0.00
105713	314.05	315.35	1.3	0.03	0.18	0.00	0.01	0.01	0.00
105714	315.35	316.6	1.3	0.05	0.22	0.01	0.00	0.01	0.00
105715	316.6	318.6	2.0	0.03	0.17	0.01	0.00	0.01	0.00
105716	318.6	320.6	2.0	0.01	0.14	0.00	0.01	0.01	0.00
105717	320.6	322.9	2.3	0.01	0.34	0.01	0.01	0.01	0.01
105718	322.9	324.65	1.8	0.01	0.13	0.00	0.00	0.01	0.00
105719	324.65	325.3	0.7	0.02	0.08	0.00	0.00	0.01	0.00
105720	324.65	325.3	0.7	0.02	0.05	0.00	0.00	0.02	0.00
105721	325.3	326.8	1.5	0.01	0.09	0.00	0.00	0.01	0.00
105722	326.8	328.25	1.5	0.02	0.18	0.01	0.01	0.01	0.00

105723	328.25	330.65	2.4	0.02	0.05	0.00	0.00	0.01	0.00
105724	330.65	332.85	2.2	0.02	0.12	0.01	0.00	0.01	0.00
105725	332.85	334.2	1.4	0.11	0.20	0.00	0.01	0.03	0.01
105726	334.2	336	1.8	0.05	0.96	0.00	0.00	0.01	0.01
105727	336	338	2.0	0.01	0.14	0.01	0.01	0.01	0.00
105728	338	340	2.0	0.02	0.06	0.01	0.00	0.01	0.00
105729	340	342	2.0	0.03	0.09	0.01	0.00	0.01	0.00
105730	342	344	2.0	0.02	0.07	0.00	0.01	0.01	0.00
105731	344	346	2.0	0.02	0.11	0.00	0.01	0.01	0.01
105732	346	348	2.0	0.01	0.09	0.00	0.01	0.00	0.02
105733	348	350	2.0	0.02	0.13	0.01	0.00	0.01	0.01
105734	350	352	2.0	0.04	0.06	0.01	0.00	0.01	0.00
105735				1.33	33.10	0.29	0.37	0.24	0.01
105736	352	354	2.0	0.01	0.07	0.01	0.00	0.01	0.00
105737	354	356	2.0	0.02	0.05	0.01	0.00	0.01	0.00
105738	356	358	2.0	0.03	0.91	0.01	0.00	0.01	0.01
105739	358	360	2.0	0.02	0.27	0.01	0.00	0.01	0.01
105740	360	362	2.0	0.02	0.14	0.01	0.00	0.01	0.00
105741	362	364	2.0	0.01	0.24	0.01	0.00	0.01	0.00
105742	364	366	2.0	0.01	0.23	0.01	0.00	0.01	0.00
105743	366	368	2.0	0.02	0.20	0.01	0.00	0.01	0.00
105744	368	370	2.0	0.01	0.66	0.01	0.00	0.00	0.01
105745	370	371.7	1.7	0.02	0.39	0.01	0.01	0.01	0.01
105746	371.7	372.9	1.2	0.02	0.36	0.01	0.00	0.01	0.01
105747	372.9	374.75	1.9	0.04	2.00	0.01	0.01	0.01	0.02
105748	374.75	377	2.3	0.03	0.74	0.01	0.01	0.01	0.01
105749	377	379	2.0	0.02	0.12	0.01	0.00	0.00	0.00
105750	377	379	2.0	0.02	0.13	0.01	0.00	0.01	0.00
105751				1.27	30.50	0.28	0.35	0.23	0.01
105752				0.00	0.02	0.00	0.00	0.00	0.00
105753	379	381	2.0	0.02	0.17	0.01	0.00	0.01	0.01
105754	381	384	3.0	0.01	0.12	0.01	0.00	0.01	0.01
105755	384	386.35	2.4	0.03	0.19	0.01	0.00	0.01	0.00
105756	386.35	388.65	2.3	0.01	0.13	0.01	0.00	0.01	0.00
105757	388.65	390.4	1.8	0.08	6.51	0.02	0.01	0.02	0.01
105758	390.4	392.15	1.8	0.02	0.25	0.01	0.00	0.01	0.00
105759	392.15	395	2.9	0.02	0.19	0.01	0.00	0.01	0.00
105760	395	397.65	2.7	0.02	0.27	0.01	0.00	0.01	0.01
105761	397.65	397.95	0.3	0.03	1.82	0.01	0.01	0.02	0.05

105762	397.95	399.4	1.5	0.01	0.22	0.01	0.00	0.01	0.01
105763	399.4	399.95	0.6	0.01	0.14	0.01	0.00	0.01	0.00
105764	399.95	401.45	1.5	0.03	0.13	0.01	0.00	0.00	0.01
105765				1.32	33.60	0.28	0.37	0.25	0.01
105766	401.45	401.95	0.5	0.02	0.25	0.01	0.00	0.01	0.02
105767	401.95	403.55	1.6	0.02	0.39	0.01	0.01	0.01	0.01
105768	403.55	405.3	1.8	0.02	0.17	0.01	0.01	0.01	0.00
105769	405.3	405.75	0.5	0.00	0.12	0.00	0.00	0.04	0.00
105770	405.75	407.7	2.0	0.03	0.23	0.01	0.01	0.01	0.00
105771	407.7	409.5	1.8	0.01	0.07	0.01	0.00	0.01	0.00
105772	409.5	411.35	1.9	0.00	0.09	0.01	0.00	0.01	0.00
105773	411.35	413.6	2.3	0.02	0.26	0.01	0.01	0.01	0.00
105774	413.6	415.95	2.4	0.06	0.34	0.01	0.01	0.01	0.00
105775	415.95	416.35	0.4	0.01	0.09	0.01	0.00	0.01	0.00
105776	416.35	418.2	1.9	0.03	0.15	0.01	0.00	0.01	0.00
105777	418.2	420.5	2.3	0.02	0.20	0.01	0.00	0.01	0.00
105778	420.5	421.8	1.3	0.01	0.15	0.00	0.00	0.01	0.00
105779	421.8	423.6	1.8	0.02	0.12	0.01	0.00	0.01	0.00
105780	421.8	423.6	1.8	0.01	0.09	0.01	0.00	0.01	0.00
105781	423.6	425.3	1.7	0.02	0.13	0.01	0.00	0.01	0.00
105782	425.3	427.2	1.9	0.03	0.41	0.00	0.01	0.03	0.00
105783	427.2	429.1	1.9	0.01	0.08	0.00	0.00	0.01	0.00
105784	429.1	431	1.9	0.03	0.12	0.01	0.00	0.01	0.00
105785	431	432.85	1.9	0.05	0.11	0.00	0.00	0.00	0.00
105786	432.85	434.85	2.0	0.04	0.37	0.01	0.00	0.01	0.00
105787	434.85	436.85	2.0	0.02	0.23	0.01	0.00	0.01	0.00
105788	436.85	438.85	2.0	0.02	0.21	0.01	0.00	0.01	0.00
105789	438.85	440.85	2.0	0.04	0.16	0.01	0.00	0.01	0.00
105790	440.85	442.6	1.8	0.01	0.09	0.01	0.00	0.01	0.00
105791	442.6	444.75	2.2	0.02	0.08	0.01	0.00	0.01	0.00
105792	444.75	446.9	2.2	0.02	0.20	0.01	0.01	0.01	0.00
105793	446.9	449.1	2.2	0.04	0.10	0.01	0.00	0.01	0.00
105794	449.1	451.5	2.4	0.15	0.10	0.01	0.00	0.01	0.00
105795				<0.001	0.03	0.00	0.00	0.00	0.00
105796	451.5	453.1	1.6	0.03	0.29	0.01	0.00	0.01	0.01
105797	453.1	453.9	0.8	0.20	5.01	0.00	0.06	0.04	0.05
105798	453.9	454.6	0.7	0.01	0.38	0.00	0.00	0.01	0.00
105799	454.6	457	2.4	0.03	0.13	0.01	0.01	0.01	0.00
105800	457	459.35	2.4	0.03	0.04	0.00	0.00	0.01	0.00

106136	504	506	2.0	0.01	1.05	0.00	0.01	0.01	0.01
106137	506	508	2.0	0.02	0.83	0.01	0.01	0.01	0.01
106138	508	510	2.0	0.02	0.64	0.00	0.01	0.01	0.01
106139	510	512	2.0	0.01	0.68	0.00	0.01	0.01	0.01
106140	510	512	2.0	0.01	0.73	0.00	0.01	0.01	0.01
106141	512	514	2.0	0.21	2.54	0.01	0.03	0.01	0.02
106142	514	516	2.0	0.11	2.93	0.01	0.01	0.02	0.02
106143	516	518	2.0	0.13	3.80	0.01	0.01	0.01	0.01
106144	518	520	2.0	0.03	1.86	0.00	0.00	0.01	0.01
106145	520	522	2.0	0.02	1.30	0.00	0.00	0.01	0.01
106146	522	524	2.0	0.07	7.26	0.00	0.01	0.01	0.01
106147	524	526	2.0	0.08	3.40	0.01	0.02	0.06	0.02
106148	526	528	2.0	0.01	0.17	0.00	0.00	0.00	0.01
106149	528	530	2.0	0.01	0.09	0.00	0.00	0.00	0.00
106150	530	532	2.0	0.02	0.24	0.00	0.01	0.01	0.01
106151	532	534	2.0	0.07	5.51	0.00	0.01	0.06	0.01
106152	534	536	2.0	0.07	7.56	0.01	0.01	0.02	0.01
106153	536	538.1	2.1	0.02	2.35	0.01	0.00	0.01	0.01
106154	538.1	538.9	0.8	0.04	3.34	0.00	0.02	0.03	0.01
106155				0.00	0.03	0.00	0.00	0.00	0.00
106156	538.9	539.9	1.0	0.19	3.72	0.00	0.01	0.06	0.01
106157	539.9	541.1	1.2	0.12	4.41	0.01	0.00	0.02	0.02
106158	541.1	541.7	0.6	0.07	4.52	0.00	0.00	0.03	0.01
106159	541.7	544.2	2.5	0.01	1.05	0.01	0.00	0.02	0.01
106160	544.2	546.6	2.4	0.21	0.15	0.01	0.00	0.01	0.00
106161	546.6	548.2	1.6	0.12	3.21	0.01	0.01	0.02	0.01
106162	548.2	550.4	2.2	0.05	0.30	0.01	0.01	0.01	0.00
106163	550.4	552.7	2.3	0.08	0.34	0.01	0.01	0.01	0.00
106164	552.7	554.7	2.0	0.02	0.09	0.01	0.00	0.01	0.00
106165	554.7	556.7	2.0	0.05	0.24	0.01	0.00	0.01	0.00
106166	556.7	558.7	2.0	0.01	0.11	0.00	0.00	0.01	0.00
106167	558.7	560.7	2.0	0.01	0.12	0.00	0.00	0.02	0.00
106168	560.7	562.5	1.8	0.02	0.43	0.00	0.01	0.02	0.00
106169	562.5	563	0.5	0.09	4.12	0.00	0.08	0.03	0.02
106170	563	564.75	1.8	0.02	0.11	0.01	0.00	0.02	0.00
106171	563	564.75	1.8	0.02	0.08	0.01	0.00	0.01	0.00
106172	564.75	566.5	1.8	0.03	0.18	0.01	0.00	0.01	0.00
106173	566.5	567.8	1.3	0.02	0.95	0.01	0.00	0.02	0.00
106174	567.8	570	2.2	0.02	0.19	0.01	0.00	0.02	0.00

106175	570	572	2.0	0.02	0.15	0.00	0.00	0.02	0.00
106176	572	573.9	1.9	0.01	0.14	0.00	0.00	0.01	0.00
106177	573.9	575.85	2.0	0.18	1.48	0.00	0.00	0.03	0.01
106178	575.85	578	2.2	0.03	0.08	0.01	0.00	0.01	0.00
106179	578	580	2.0	0.02	0.15	0.00	0.00	0.01	0.00
106180	580	582	2.0	0.03	0.08	0.00	0.00	0.01	0.00
106181	582	584	2.0	0.04	0.10	0.00	0.00	0.02	0.00
106182	584	586	2.0	0.02	0.11	0.00	0.00	0.02	0.00
106183	586	588	2.0	0.02	0.05	0.00	0.00	0.02	0.00
106184	588	590	2.0	0.03	0.10	0.01	0.00	0.01	0.00
106185				<i>1.31</i>	<i>35.30</i>	<i>0.29</i>	<i>0.39</i>	<i>0.25</i>	<i>0.00</i>
106186	590	592	2.0	0.04	0.11	0.00	0.00	0.02	0.01
106187	592	594	2.0	0.03	0.07	0.01	0.00	0.01	0.00
106188	594	596	2.0	0.02	0.14	0.00	0.00	0.01	0.01
106189	596	598.45	2.5	0.04	0.14	0.00	0.00	0.02	0.00
106190	598.45	600	1.6	0.06	0.21	0.01	0.01	0.02	0.01
106191	600	601.15	1.2	0.01	0.32	0.00	0.01	0.01	0.01
106192	601.15	602.1	1.0	0.01	0.06	0.00	0.00	0.01	0.02
106193	602.1	603.5	1.4	0.00	0.36	0.00	0.01	0.02	0.01
106194	603.5	605	1.5	0.01	0.11	0.00	0.00	0.01	0.00
106195	605	607	2.0	0.02	0.11	0.00	0.00	0.01	0.00
106196	607	609	2.0	0.02	0.07	0.00	0.00	0.01	0.00
106197	609	611	2.0	0.01	0.07	0.00	0.00	0.01	0.00
106198	611	613	2.0	0.02	0.30	0.00	0.01	0.01	0.00
106199	613	615	2.0	0.02	0.08	0.00	0.00	0.01	0.00
106200	613	615	2.0	<i>0.02</i>	<i>0.09</i>	<i>0.00</i>	<i>0.00</i>	<i>0.01</i>	<i>0.00</i>
106201				<i>1.36</i>	<i>32.20</i>	<i>0.29</i>	<i>0.38</i>	<i>0.25</i>	<i>0.01</i>
106202				<i>0.00</i>	<i>0.03</i>	<i>0.00</i>	<i>0.00</i>	<i>0.00</i>	<i>0.00</i>
106203	615	617	2.0	0.01	0.07	0.00	0.00	0.01	0.00
106204	617	619	2.0	0.01	0.22	0.00	0.01	0.01	0.00
106205	619	620.7	1.7	0.00	0.09	0.00	0.00	0.01	0.00
106206	620.7	622.9	2.2	0.02	0.49	0.00	0.01	0.01	0.00
106207	622.9	625	2.1	0.03	0.09	0.00	0.00	0.01	0.00
106208	625	627	2.0	0.01	0.09	0.00	0.00	0.01	0.00
106209	627	629.1	2.1	0.01	0.21	0.00	0.01	0.01	0.00
106210	629.1	631	1.9	0.01	0.20	0.00	0.01	0.01	0.00
106211	631	633	2.0	0.00	0.17	0.00	0.01	0.01	0.00
106212	633	635	2.0	0.01	0.33	0.00	0.01	0.03	0.00
106213	635	637	2.0	0.00	0.07	0.00	0.00	0.01	0.00

106214	637	639	2.0	0.01	0.10	0.00	0.00	0.01	0.00
106215				<i>1.40</i>	<i>30.30</i>	<i>0.29</i>	<i>0.37</i>	<i>0.25</i>	<i>0.01</i>
106216	639	641	2.0	0.01	0.14	0.00	0.00	0.01	0.00
106217	641	643	2.0	0.02	0.12	0.00	0.00	0.01	0.00
106218	643	645	2.0	0.05	0.13	0.00	0.00	0.01	0.00
106219	645	647	2.0	0.01	0.10	0.00	0.00	0.01	0.00
106220	647	649	2.0	0.01	0.10	0.00	0.00	0.01	0.00
106221	649	651	2.0	0.00	0.11	0.00	0.00	0.01	0.00
106222	651	653	2.0	0.06	0.15	0.00	0.00	0.01	0.00
106223	653	655	2.0	0.01	0.07	0.00	0.00	0.01	0.00
106224	655	657	2.0	0.05	0.27	0.00	0.01	0.01	0.00
106225	657	659	2.0	0.01	0.07	0.00	0.00	0.01	0.00
106226	659	661	2.0	0.01	0.05	0.00	0.00	0.01	0.00
106227	661	663	2.0	0.01	0.04	0.00	0.00	0.01	0.00
106228	663	665	2.0	0.01	0.06	0.00	0.00	0.01	0.00
106229	665	667	<i>2.0</i>	<i>0.01</i>	<i>0.05</i>	<i>0.00</i>	<i>0.00</i>	<i>0.01</i>	<i>0.00</i>
106230	665	667	<i>2.0</i>	<i>0.02</i>	<i>0.07</i>	<i>0.00</i>	<i>0.00</i>	<i>0.01</i>	<i>0.00</i>
106231	667	668.5	1.5	0.01	0.05	0.00	0.00	0.01	0.00
106232	668.5	670.12	1.6	0.01	0.06	0.00	0.00	0.01	0.00
106233	670.12	670.82	0.7	0.19	0.97	0.01	0.01	0.02	0.00
106234	670.82	672.4	1.6	0.01	0.08	0.00	0.00	0.01	0.00
106235	672.4	674	1.6	0.01	0.03	0.00	0.00	0.01	0.00